

The Gazette



सत्यमेव जयते

of India

No 45]

NEW DELHI, SATURDAY, NOVEMBER 15, 1952

OFFICIAL PAPERS

Reported attack and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th October, 1952

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) & PART (C)																Bombay—contd.															
Ajmer																Amreli															
No incidence.																Nasik															
Assam																Poona															
Dochur																Satara North															
Khasi and Jaintia Hills																Sholapur															
Naga Hills																Sabarkantha															
Goalpara																Belgaum															
Kamrup																Bijapur															
Darrang																Dharwar															
Nowgong																Kanara															
Sibsagar																Ratnagiri															
Lakhimpur																Kolaba															
Jadiva & Frontier Tracts																Kolhapur															
Jaro Hills																Baroda															
TOTAL																Navsari															
Estd. mid-year pop. 9,334 thousands).																Dangs															
Total for w/e 11-10-52																Malwan															
Total for w/e 4-10-52																Mehsana															
7-yearly mean for the week																Banaskantha															
TOTAL																TOTAL															
Bhopal																(Estd. mid-year pop. 36,802 thousands).															
No incidence.																Total for w/e 11-10-52															
Bihar																Total for w/e 4-11-52															
Return not received.																7-yearly mean for the week															
Bombay																Goorg															
Greater Bombay																TOTAL															
Ahmedabad																(Estd. mid-year pop. 237 thousands.)															
Kaira																Total for w/e 11-10-52															
Broach																Total for w/e 4-10-52															
Janoh Mahals																7-yearly mean for the week															
Surat																Delhi															
Thana																Delhi city															
Satara South																New Delhi															
Ahmednagar																Delhi Notified Area															
East Khandesh																New Delhi Cantt.															
West Khandesh																															

Explanation of Symbols used, C. = Cases; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 18th October, 1952—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Punjab (I)																Uttar Pradesh— <i>contd.</i>															
Hissar	Kanpur								
Rohtak	Fatehpur								
Gurgaon	Allahabad								
Karnal	Jhansi								
Ambala	Jalaun								
Simla	Hamirpur								
Kangra	Banda								
Hoshiarpur	Banaras								
Jullundur	Mirzapur								
Ludhiana	Jaunpur								
Ferozepur	1	Ghazipur								
Amritsar	Ballia								
Gurdas pur	Gorakhpur	20	8								
TOTAL	1	Deoria	13	6								
(Estd. mid-year pop. 12,645 thousands)												Basti	10	7								
Total for w/e 11-10-52	Azamgarh								
Total for w/o 4-10-52	Nainital								
7-yearly mean for the week.	2	Almora								
Tripura																Garhwal				
No incidence.																Lucknow	4	3				
Uttar Pradesh																Unao				
Dehra Dun	Rae Bareilly								
Saharanpur	Sitapur								
Muzaffarnagar	Hardoi	6	3								
Meerut	Kheri	8	5								
Bulandshahr	Faizabad								
Aligarh	Gonda								
Mathura	Bahraich								
Agra	Sultanpur								
Mainpuri	Partabgarh								
Etah	Bara Banki	1	1								
Bareilly	2	2	Rampur								
Bijnor	TOTAL	64	35								
Budaun	(Estd. mid-year pop. 64,152 thousand.)																			
Moradabad	Total for w/ 11 10-52	56	32								
Shahjahanpur	Total for w/o 4-10-52	126	56	—								
Pilibhit	7-yearly mean for the week.	325	194	7	2	20	7	7								
Farrukhabad	Vindhya Pradesh																			
Etawah	Re turn not received.																			

Explanation of Symbols used : C. = Cases, D. = Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 18th October, 1952—*contd.*

CHOLERA							SMALLPOX							PLAGUE							CHOLERA							SMALLPOX							PLAGUE																				
C.							D.							C.							D.							C.							D.							C.							D.						
Travancore-Cochin							Jammu & Kashmir																																																
TOTAL							For w/e 13th September, 1952																																																
Grand total for States Part (B)							TOTAL							For w/e 20th and 27th September, 1952																																									
Grand total for States Parts (A), (B) and (C)							No incidence.																																																

ANNEAL INFORMATION

(Information based on patients treated in hospitals in important towns).

Himachal Pradesh					Places		Period		Cases	
For w/e 11-10-52										
Chamba	Madras	1—15	Aug	1952	{	10 Parotie
	Punjab (I)	1—15	Oct.	1952		2 Non-Parotie
	TOTAL	.	.	.	Uttar Pradesh	16—30	Sept.	1952		15 Parotie
										10 Parotie

Explanation of symbols used: C—Cases; D—Deaths.

NEW DELHI 2 (INDIA);
The 10th November, 1952.

K. MITRA,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%
TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952.

Deaths from—

Town	Mid.-1952 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajmer													
Ajmer	203	67	17.2	9	4	8	..	38	9.7	6
Beawar	53	15	14.7	13	1	2	..	22	21.0	7
TOTAL	256	82	16.7	22	5	10	..	60	12.2	13
Assam													
Dibrugarh	40	10	13.0	2	3	3.9	..
Gauhati†													
Silchar	36	10	14.1	1	..	3	4.2	..
Shillong†													
TOTAL	76	20	13.5	2	..	1	..	6	4.1	..
Bhopal													
Bihar													
<i>Returns not received.</i>													
Bombay													
Ahmedabad	814	774	49.4	31	29	155	..	367	23.4	137
Ahmednagar	83	59	37.0	3	4	2	..	17	10.7	1
Amalner	46	21	23.7	2	1	1	..	5	6.7	3
Bagalkot	33	17	26.8	1	1	2	..	11	17.3	4
Baroda	219	219	52.0	36	1	5	..	70	16.6	17
Barsi	43	24	20.7	4	2	3	1	20	24.2	5
Belgaum	103	64	32.3	1	1	6	..	32	16.6	3
Bhusawal	56	90	83.6	6	2	3	..	19	17.4	2
Bijapur	68	64	48.9	7	1	3	..	19	14.5	3
Bronch	64	50	40.6	7	..	3	..	17	12.8	4
Cambay	40	17	22.1	10	11	14.3	2
Chalisgaon	31	15	25.2	4	4	6.7	1
Dharwar	60	38	28.6	2	1	14	10.6	1
Dhulia†													
Gadag-Betgeri	67	54	41.9	15	1	5	2	32	24.8	3
Godhra	40	31	40.3	8	10	13.0	3
Greater Bombay	2,987	2,046	35.6	6	32	145	..	763	13.4	244
Hubli	134	29	11.3	3	..	7	..	17	6.6	3
Jalgaon	71	29	21.2	5	2	2	1	20	14.7	7
Kalyan	62	36	30.2	2	..	3	..	14	11.7	..
Kolhapur	143	63	22.9	6	1	7	1	47	17.1	7
Nandurbar	31	20	33.6	1	..	8	13.4	2
Malagaon	57	48	43.8	6	1	2	1	12	10.9	1
Miraj†													
Nadlad	65	51	40.8	27	3	1	..	39	31.2	13
Nasik	103	40	20.2	6	..	5	1	30	15.1	6
Navasari	46	32	36.2	6	1	11	12.4	2
Pandharpur	41	37	46.9	7	2	6	..	22	27.9	7
Patan	44	32	38.7	7	16	19.3	1
Poona	516	297	29.9	5	5	46	5	163	16.4	38
Sangli	52	22	22.0	6	3	7	..	25	25.0	2
Satara	38	20	27.4	4	1	3	..	15	20.5	3
Sholapur	274	238	45.2	11	9	50	2	135	25.3	36
Surat	230	205	63.7	18	4	17	2	89	20.1	20
Thana	53	40	39.2	6	..	1	..	12	11.8	3
TOTAL	6,723	4,822	37.2	206	105	493	18	2,091	16.2	584
Delhi State													
Delhi City	955	671	36.5	50	9	16	1	106	5.8	30
New Delhi	304	209	35.8	7	3	7	1	39	6.7	10
TOTAL	1,259	880	36.3	57	12	23	2	145	6.0	40

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952—*contd.*

Town	Mid. 1951 Popn.-Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh															
Achalpur	36	44	63.6	8	4	31	44.8	8		
Akola†															
Amravati	90	123	71.1	20	4	4	..	59	34.1	13		
Bilaspur	39	37	49.3	8	1	21	28.0	7		
Burhanpur	72	68	49.1	10	1	22	15.9	..		
Chanda†															
Damoh†															
Gondia†															
Hinganghat†															
Jabalpur†															
Khandwa	54	19	18.3	10	2	13	12.5	..		
Nagpur	469	191	21.2	30	7	9	1	98	10.9	4		
Raipur†															
Sagar†															
Wardha†															
Yeotmal†															
Total	760	482	33.0	86	19	13	1	244	16.7	32		
Madras															
Adoni	56	30	27.9	2	..	9	8.4	3		
Ambur	42	20	24.8	1	2	2	..	7	8.7	..		
Anakapalle	42	25	31.0	5	3	..	22	27.2	2		
Aruppukottai	50	25	26.0	2	1	1	..	12	12.5	1		
Bellary†															
Bhimavaram†															
Cannanore	43	27	32.7	4	..	1	..	8	9.7	1		
Chirala	37	26	36.5	1	..	2	1	6	8.4	..		
Chittoor	40	17	22.1	1	..	9	11.7	2		
Coimbatore	203	92	23.6	2	3	8	21	..	80	20.5	23		
Cuddalore	69	55	41.4	1	4	2	16	12.1	5		
Cuddappah	29	33	44.0	..	2	1	..	6	8.0	..		
Dindigul	82	34	21.6	1	..	1	..	8	5.1	7		
Eluru	90	41	23.7	2	..	2	..	27	15.6	7		
Erode	60	25	21.7	4	1	..	2	1	18	15.6	1		
Guddiyattam	47	20	22.1	1	6	6.6	1		
Guntur	124	87	34.5	7	5	2	34	13.5	12		
Kakinada	103	40	20.2	4	..	3	..	30	15.1	7		
Kancheepuram	80	51	30.8	3	12	..	27	16.3	3		
Karaikudi	39	16	21.3	2	..	3	1	10	13.3	..		
Karur	44	16	18.9	2	1	2	2	16	18.9	1		
Kozhikode	162	142	45.6	7	..	9	..	44	14.1	7		
Kumbakonam	95	57	31.2	1	7	1	24	13.1	7		
Kurnool	62	40	33.5	1	5	2	..	18	15.1	8		
Madras	1,488	1,317	46.0	..	1	..	65	78	134	1	630	22.0	147		
Mangalore	122	53	22.6	1	..	5	2	30	12.8	6		
Masulipatnam	81	41	26.3	3	2	1	..	29	18.6	2		
Mathurai	378	246	33.8	14	7	32	..	119	16.4	33		
Mayuram	45	17	19.6	7	8.1	1		
Malapalayam	38	17	23.3	2	1	..	9	12.3	4		
Nagapattinam	59	23	20.3	..	1	..	2	..	3	..	21	18.5	6		
Nellore	85	91	55.7	1	2	2	3	27	16.5	3		
Ootacamund	43	47	58.2	1	1	3	..	12	14.9	2		
Palyamkottai	41	33	41.9	2	1	1	..	10	12.7	3		
Palghat	71	26	19.0	1	2	..	7	5.1	1		
Proddatur	38	28	38.3	1	1	1	..	10	13.7	5		
Pudukottai†															
Rajahmundry	109	57	26.9	6	..	1	..	28	13.2	6		
Rajapalayam	63	33	27.2	2	..	3	..	10	8.3	2		
Salem	212	109	26.6	4	2	11	1	58	14.2	11		
Srivilliputtur	41	29	36.8	1	1	3	15	19.0	4		
Tanjore	105	71	35.2	..	2	..	2	5	5	..	34	16.8	9		
Tellicherry	63	45	37.1	1	1	14	11.3	4		
Tenali†															
Tiruchirappalli	220	104	23.9	2	10	1	71	16.3	14		
Tirunelveli	75	27	18.7	1	..	14	9.7	7		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952 —*contd.*

Town	Mid.-1952 Popn.-Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras— <i>contd.</i>															
Tiruppur	55	31	29.3	2	3	1	12	11.3	2		
Tiruvannamalai	31	29	48.5	2	3	1	13	21.8	3		
Tuticorin	101	63	32.4	3	4	6	..	26	13.4	13		
Vaniyambadi	40	15	19.5	5	1	2	1	13	16.9	4		
Vellore	111	105	49.2	4	2	5	7	1	52	24.4	13		
Vijayavada	171	92	28.0	3	..	1	1	27	8.2	5		
Virudunagar	48	46	49.8	2	2	2	1	11	11.0	3		
Visakhapatnam	113	90	44.2	4	4	3	3	49	22.5	16		
Vizianagram	69	47	35.4	3	1	2	..	25	18.8	4		
TOTAL	5,737	3,837	35.0	31	6	..	157	147	323	29	18,20	16.5	431		
Orissa															
Berhampur	65	30	24.1	6	2	1	1	14	11.2	4		
Cuttack	100	88	43.3	3	4	4	..	34	16.7	8		
Puri	50	21	21.9	9	1	1	1	22	22.9	3		
TOTAL	221	139	32.8	18	7	6	2	70	16.5	15		
Punjab (I)															
Ambala	59	34	30.1	9	2	6	..	20	17.7	3		
Amritsar	317	216	35.6	4	9	38	1	98	16.2	22		
Batala	57	24	22.0	9	..	1	1	13	11.9	5		
Bhiwani	53	37	36.5	8	..	1	..	13	12.8	7		
Ferozepore	41	25	31.9	1	..	2	..	7	8.9	1		
Hissar	36	35	50.8	1	..	2	..	5	7.3	2		
Hoshiarpur	47	21	23.4	4	6	6.7	..		
Jullundur	170	111	33.0	12	..	4	..	24	7.1	8		
Karnal	61	32	27.4	1	..	2	1	2	1.7	2		
Ludhiana	159	92	30.3	21	..	1	..	28	9.2	10		
Moga	38	27	37.1	1	2	2.8	..		
Panipat	57	36	33.0	7	4	2	1	17	15.6	5		
Pathankot	31	9	15.2	2	..	1	..	3	5.1	1		
Rewari	35	17	25.4	11	2	2	..	17	25.4	4		
Rohtak	73	65	46.6	8	1	2	..	16	11.5	16		
Simla	46	29	33.0	5	5.7	1		
Sonepat	31	18	30.4	2	2	3.4	1		
TOTAL	1,317	828	32.9	100	18	64	5	278	11.0	88		
Uttar Pradesh															
Agra	344	466	70.8	2	9	62	1	117	17.8	34		
Allahabad	332	240	39.0	4	2	21	1	75	12.2	20		
Amroha	59	70	62.0	10	1	1	1	22	19.5	3		
Bahraich	45	37	43.0	5	1	..	2	9	10.5	1		
Balla†															
Banaras	350	341	50.9	74	14	9	..	203	30.3	44		
Banda†															
Bareilly	197	84	22.3	15	1	14	..	37	9.8	9		
Basti†															
Bijnor	31	11	18.6	6	2	1	..	11	18.6	3		
Budaun	53	38	37.5	11	1	8	..	25	24.7	6		
Bulandshahr†															
Chandauli	38	28	38.5	6	1	4	..	19	26.1	4		
Dehra Dun	124	40	16.9	6	2	1	..	15	6.3	1		
Etawah	61	76	65.1	11	..	8	..	29	24.9	9		
Faizabad-Ajodhya	79	41	27.1	4	1	6	..	19	12.6	3		
Farrukhabad-Fatehgarh	76	39	26.8	15	4	6	..	39	26.8	14		
Ferozabad	69	47	35.6	10	..	3	..	16	12.1	3		
Ghaziabad	40	37	48.4	8	10	13.1	1		
Ghaziipur	35	26	38.8	6	..	1	..	14	20.9	4		
Gonda	33	7	11.1	4	..	1	..	7	11.1	2		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D. D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I. D.—Infantile Deaths (included in total deaths).

irths and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952—*contd.*

Deaths from :—

Town	Mid.-1952 Popn-Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Gorakhpur	128	66	27.0	7	6	2	..	31	12.7	13
Hapur	45	55	63.9	5	..	4	..	10	11.6	2
Hardwar	58	40	36.1	23	7	11	1	53	47.8	14
Hathras	58	51	46.0	16	..	10	2	31	27.9	8
Jaunpur	53	33	32.6	5	..	1	..	12	11.8	..
Jhansi	109	126	60.4	34	1	4	..	53	25.4	17
Kanpur	662	424	33.5	126	31	32	6	336	26.5	107
Kasganj	33	11	17.4	4	6	9.5	..
Khurja	39	37	49.6	8	—	2	..	13	17.4	2
Koili-Aligarh	141	75	27.8	15	6	7	..	42	15.6	13
Lucknow	457	284	32.5	24	12	27	2	157	18.0	38
Mathura	101	111	57.5	20	..	1	..	37	19.2	9
Mau-Nath Bhanjan	35	29	43.3	9	2	1	..	13	19.4	4
Meerut	167	137	42.9	13	..	13	1	43	13.5	6
Mirzapur-Vindhyachal	90	96	55.8	12	..	2	1	25	14.5	7
Moradabad †													
Muzaffarnagar	67	53	41.4	19	1	6	..	39	30.4	6
Pilibhit	45	44	51.1	7	..	1	..	22	25.6	10
Rampur	140	35	13.1	2	1	2	..	7	2.6	..
Saharanpur	147	149	53.0	56	3	2	1	75	26.7	28
Sambhal	62	55	46.4	7	3	7	..	22	18.6	6
Shahjahanpur	99	80	42.3	..	—	..	14	1	9	—	26	13.7	7
Sitapur	46	33	27.5	10	1	3	..	17	19.3	4
TOTAL	4,738	3,852	40.3	633	114	293	19	1,737	19.2	462
West Bengal													
<i>Return not received.</i>													
STATES—(Part B)													
<i>Return not received.</i>													
Jammu and Kashmir													
<i>Return not received.</i>													
Madhya Bharat													
Greater Gwalior	249	134	27.9	5	20	4.1	..
Indore City	325	117	18.7	21	..	11	..	94	15.0	26
Ratlam City†													
Ujjain City	136	64	24.4	4	4	9	2	53	20.2	8
TOTAL	710	315	23.1	30	8	20	2	167	12.2	34
Mysore State													
Bangalore City	825	421	20.5	—	36	32	4	..	204	12.9	..
Devanagore	59	39	34.3	1	8	7.1	..
Kolar Gold Fields	163	101	32.2	4	8	6	..	54	17.2	..
Mysore City	257	144	29.1	10	3	..	1	61	12.3	..
TOTAL	1,304	705	28.1	50	44	10	1	327	13.0	..
PEPSU													
Bhatinda	35	13	19.3	1	1	1.5	..
Malerkotla	33	22	34.7	—	1	2	3.2	..
Patiala	100	45	23.4	9	2	6	..	33	17.2	7
TOTAL	168	80	24.8	—	11	2	6	..	36	11.1	7
Rajasthan													
<i>Return not received.</i>													
Saurashtra													
Bhavnagar	143	62	22.5	—	24	2	5	—	50	18.2	5
Dhoraji	45	15	17.3	—	—	..	2	..	5	—	9	10.4	..
Gondal†													
Amnagar	109	34	16.2	..	—	..	14	2	4	..	33	15.7	4
Unagadh	63	24	11.5	—	11	18	14.9	2
Porvi	41	21	26.6	—	—	—	4	1	1	..	6	7.6	1
Porbandar	60	33	28.6	..	—	—	6	9	7.8	4
Rajkot	141	66	24.3	27	4	3	..	57	21.0	14
Surendranagar†													
Veraval	42	—	—	7	..	1	..	10	12.4	1
TOTAL	644	255	20.6	—	95	9	19	—	192	15.5	31

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	Deaths from—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Travancore - Cochin															
Alleppey	124	117	49.1	1	1	1	..	28	10.0	8		
Changanacherry	37	26	36.5	2	6	8.4	3		
Ernakulam	64	29	23.6	4	..	1	..	18	14.6	6		
Kottayam	46	34	38.4	2	1	7	7.9	2		
Mattancherri	76	65	44.5	1	..	4	..	13	8.9	..		
Nagercoil	83	40	25.1	4	1	10	6.3	4		
Quilon	68	31	23.7	..	1	..	1	1	8	6.1	1		
Trichur	71	47	34.4	1	3	1	..	10	7.3	..		
Trivandrum City	195	208	55.5	3	6	6	..	36	9.6	..		
TOTAL	764	597	40.6	..	1	..	19	12	13	1	134	9.1	24		

ARREAR RETURNS

Bihar					For w/e the 6th September, 1952									
Arrah	67	19	14.7	3	1	7	5.4	..	
Bettiah	36	12	17.3	5	2	7	10.1	..	
Bihar	64	19	15.4	5	3	12	9.8	..	
Bhagalpur	118	12	5.3	—	—	3	1.3	..	
Chapra	66	21	16.6	7	2	14	11.1	..	
Dhanbad	38	5	7.2	1	1.4	..	
Darbhanga	86	19	11.5	5	2	10	6.1	..	
Dinapur	44	7	8.3	2	1	3	3.6	..	
Gaya †	
Jamalpur	45	7	8.1	1	3	3.5	..	
Jamshedpur	227	103	23.5	1	7	6	..	23	5.3	2	
Monghyr	75	9	6.2	2	1	4	2.8	..	
Muzaffarpur	77	12	8.1	4	11	7.4	..	
Patna †	
Purulia	43	4	4.8	1	2	2.4	..	
Ranchi	113	19	8.7	5	3	15	6.9	..	
TOTAL	1,099	268	12.7	41	22	6	..	115	5.8	2	

West Bengal					For w/e the 4th Oct., 1952												
Asansol †	31	30	50.6	—	—	—	—	1	1	..	9	15.2	2
Baldyabati													
Bally †													
Bankura	49	5	5.3
Bansberia †													
Baranagar	80	83	54.2	6	..	3	..	32	20.9	..
Basirhat	36	—	..	1	1	1.5	..
Perhampur	58	73	65.8	—	6	1	23	20.7	3
Bhadreswar	33	10	15.8	1	1	5	7.9	..
Bhatpara†													
Budge-Budge	32	1	..	3	4.9	..
Burdwan	77	19	12.9	2	1	3	1	9	6.1	..
Calcutta	2,609	1,579	31.6	5	..	—	63	105	147	7	778	15.6	258
Champdani	38
Cooch-Bihar †													
Darjeeling †													
English Bazar	32	5	8.2	—	1	..	—	..	1	1.6	..
Garden Reach	114	24	11.0	4	2	10	4.6	2
Halisahar	37	4	5.7
Hooghly Chinsura†													
Howrah	452	152	17.6	3	..	—	15	28	36	..	194	22.4	66
Jalpaiguri	43	6	7.3	3	..	1	..	9	10.9	..
Kamarhati	80	24	15.7	8	2	..	1	20	13.1	..
Kanchrapara	61	10	8.6
Krishnagar	50	—
Midnapore	44	28	33.3	1	3	18	21.4	4
Nabadwip	59	42	37.2	—	—	..	4	..	1	..	7	6.2	..
Naihati	57	6	5.5	..	—	—	1	1	1	0	..
North Barrackpore	34	4	6.2	..	—	—
Panihati †													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952—*contd.*

Deaths from:—

Town	Mid.-1952 Popa. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.†	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Santipur	44	14	16.6	1	5	5.9	..
Serampore	78	40	27.5	2	5	2	..	25	17.2	..
Siliguri	35	9	13.4	2	..	1	..	4	6.0	..
South Dum-Dum	68
South Suburban	108	8	3.9	4	1	2	..	13	6.3	3
Titagarh	72	17	12.3	11	..	1	..	13	9.4	2
Tollygunj	163	38	12.2	1	.3	..
TOTAL	4,672	2,230	25.0	8	134	150	200	12	1,181	13.2	340

West Bengal

Siliguri . w/e 17-5-52	35	2	3.0	2	3.0	..
Siliguri . w/e 24-5-52	35	1	..	1	4	6.0	..
Siliguri . w/e 31-5-52	35	7	10.5	2	3	4.5	..
Siliguri . w/e 7-6-52	35	7	10.5
Siliguri . w/e 14-6-52	35	2	3.0	2	2	3.0	..
Siliguri . w/e 21-6-52	35	4	6.0	1	1	1.5	..
Siliguri . w/e 28-6-52	35	5	7.5	1	1.5	..
Siliguri . w/e 5-7-52	35	1	1.5	2	3.0	..
Baidyabati	31	11	18.6	1	3	5.1	..
Bankura	49	1	1.1	1	1	1.1	2
Cooch-Behar	36	19	27.6	1	..	1	7	10.2	..
Pandhati	55	1	..	1	..	2	1.9	..
Jalpaiguri . w/e 12-7-52	43	11	13.4	2	2	2	9	10.9	..
Hoochly-Chinsura w/e 19-7-52	57	46	42.2	6	3	4	1	..	18	16.5	2
Siliguri	35	4	6.0	1	1.5	..
Jalpaiguri	43	13	15.8	1	1	13	15.8	..
Bansberia	31	4	6.7	2	2	3.4	..
Kamarhati	80	26	17.0	3	..	2	12	7.8	..
Cooch-Behar	36	30	43.6	1	4	5.8	1
Bansberia . w/e 26-7-52	31	5	8.4	1	1.7	..
Cooch-Behar	36	20	29.0	3	6	8.7	..
Kamarhati	80	32	20.9	2	1.3	..
Siliguri	35	7	10.5	1	2	3.0	..
Baidyabati . w/e 2-8-52	31	12	20.2	..	1	6	10.1	1
Bansberia	31	3	5.1	5	..	3	12	20.2	..
Bally	62	6	5.1	2	1	1	4	3.4	..
Cooch-Behar	36	13	18.9	4	..	1	1	..	6	8.7	..
Kamarhati	80	40	26.1	5	..	1	13	8.5	..
Siliguri	35	3	4.5	1	1	1.5	..
Baidyabati . w/e 9-8-52	31	16	27.0	3	8	13.6	4
Bansberia	31	3	5.1
Bhatpara	136	9	3.5	3	7	2.7	..
Cooch-Behar	36	16	23.2	1	2	..	6	8.7	..
Hoochly-Chinsura	57	33	30.3	1	..	3	1	4	2	..	20	18.3	6
Jalpaiguri	43	9	10.9	1	1	1	4	4.9	..
Kamarhati	80	32	20.9	2	2	2	12	7.8	..
Siliguri	35	4	6.0

Bombay

Dhulia . w/e 4-10-52	80	63	40.2	10	2	1	20	13.0	..
Sholapur	274	26	49.3	6	3	41	1	..	96	18.2	31
Cambay . w/e 27-9-52	40	28	39.0	17	2	..	22	28.6	..
Dhulia	80	114	74.1	6	1	3	18	11.7	4

Madhya Pradesh

Khandwa . w/e 11-10-52	54	39	37.6	10	2	19	18.3	..
Burhanpur	72	82	59.2	13	..	3	27	19.5	..
Gondia	39	84	11.2	18	5	2	3	..	30	40.0	..
Amarvati	90	96	55.4	14	5	3	1	..	51	29.5	7

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 18th October, 1952—*concl'd.*

		Deaths from :—														
Town		Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
Rajasthan																
For w/e the 27th September, 1952																
Alwar	.	307	56	11.3	29	6	34	1	89	16.7	32		
Bikaner	.	59	11	9.7	1	..	3	..	8	7.1	..		
Sikar	.	46	16	18.5	1	..	2	..	9	3.2	..		
Tonk	.	43	13	15.7	5	1	3	..	20	24.1	8		
Bikaner	.	117	33	14.6	10	4	7	..	26	11.5	3		
Ganganagar	.	39	12	16.8	3	2	11	15.4	1		
Udaipur	.	94	6	3.3	2	1	1	1	5	2.8	1		
TOTAL	.	705	147	10.8	51	14	50	2	168	12.4	45		
PEPSU																
For w/e the 4th October, 1952																
Bhatinda	.	35	15	22.3	3	3	4.5	2		
Malerkotla	.	33	19	29.9	1	2	3.2	..		
Patiala	.	100	48	25.0	9	3	4	3	27	14.0	8		
TOTAL	.	168	82	25.4	13	3	4	3	33	9.9	10		
Bhopal																
Bhopal	w/e 4-10-52	106	44	21.6	6	1	7	3.4	..		
Bhopal	w/e 11-10-52	106	46	22.6	22	..	7	..	39	19.1	..		
Jammu & Kashmir*																
Srinagar	w/e 13-9-52	233	179	39.9	2	..	8	..	18	4.0	5		
Srinagar	w/e 20-9-52	233	161	35.9	6	..	11	1	35	7.8	6		
Jammu City	w/e 13-9-52	64	54	43.7	7	2	2	3	16	13.0	..		
Madhya Bharat																
For w/e 11th October, 1952																
Greater Gwalior	.	249	21	4.3	2	13	2.7	..		
Indore City	.	325	272	43.5	27	4	5	4	110	17.6	35		
Ratlam City	.	66	14	52.0	11	1	7	1	27	21.2	3		
Ujjain City	.	136	48	18.3	2	4	8	4	55	21.0	12		
TOTAL	.	776	355	25.8	42	9	20	9	205	13.7	50		
Punjab																
For w/e 4th October, 1952																
Rohtak	.	73	70	49.9	14	3	3	..	26	18.5	8		
Sonepat	.	31	33	55.4	11	1	13	21.8	5		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S. —Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 18th October, 1952, relate to 182 towns with an estimated population of 24,677 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 65% of the total number of towns representing 71% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 16,714 and 7,307 representing birth and death rates of 35.2 and 15.4 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 155 towns with an estimated population of 21,087 thousands. Information about Bihar and West Bengal could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 66% of the total number of towns representing 71% of the total population is covered. The numbers of births and deaths recorded in these towns were 14,762 and 6,451

representing birth and death rates of 36.4 and 15.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 27 towns with an estimated population of 3,590 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 59% of the total number of towns representing 69% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,952 and 856 representing birth and death rates of 28.3 and 12.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/o 18-10-52		Corresponding week of last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer . . .	16.7	12.2	49.1	13.3	52.5	18.9
Bombay . . .	37.2	16.2	43.1	16.6	41.0	21.9
Delhi . . .	36.3	6.0	69.4	16.2	57.0	12.6
Madhya Pradesh . .	33.0	16.7	47.2	23.0	43.4	24.2
Madras . . .	35.0	16.5	52.7	23.4	46.9	23.9
Orissa . . .	32.8	16.5	44.5	20.1	37.4	22.5
Punjab . . .	32.9	11.0	43.4	11.6	31.6	10.4
Uttar Pradesh . . .	40.3	19.2	47.7	21.0	43.6	23.3
India (only States . .	36.4	15.9	48.3	19.5	40.3	20.7
Parts A and C).						

NEW DELHI, 2 (INDIA) ;
The 10th November 1952. }

K. MITRA,
for Registrar General, India.

